

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((X-RAY WITH (RECEPTACLE OR CONNECTOR)) AND ((CABLE OR WIRE) WITH PLURALITY WITH (CONDUCTOR OR WIRE)) AND (FITTING WITH (INSULAT\$3 OR DIELECTRIC OR NON-CONDUCTIVE OR NON-ELECTRICALLY) WITH (ELEMENT OR MEMBER))).CLM.	US-PGPUB	OR	ON	2008/02/29 18:41
L2	1	(X-RAY WITH (RECEPTACLE OR CONNECTOR)) AND ((CABLE OR WIRE) WITH PLURALITY WITH (CONDUCTOR OR WIRE)) AND (FITTING WITH (INSULAT\$3 OR DIELECTRIC OR NON-CONDUCTIVE OR NON-ELECTRICALLY) WITH (ELEMENT OR MEMBER))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 18:42

2/ 29/ 2008 6:42:57 PM

C:\Documents and Settings\cprasad\My Documents\EAST\workspaces\default.wsp